

ASX Announcement

4 October 2019

2019 Annual Update of Mineral Resources & Ore Reserves

Westgold Resources Limited (ASX:WGX) (Westgold) wishes to advise that it has completed its annual Mineral Resource and Ore Reserve estimates as at 30 June 2019. Westgold's consolidated Ore Reserve estimate is essentially unchanged (-1%) despite annual mining depletion and divestment of its Higginsville Gold Operations.

Highlights

- The consolidated Ore Reserve at Westgold's Gold Operations now stands at 31.6 million tonnes at 2.58 g/t Au containing 2.62 million ounces of gold.
- The consolidated Mineral Resource estimate at Westgold's Gold Operations is 130 million tonnes at 2.17 g/t Au containing 9.12 million ounces of gold.
- Westgold's gold production for the year past was 255,221 ounces.

In addition, the Mineral Resource estimates at the groups Tennant Creek polymetallic assets in the Northern Territory remain materially unchanged, and contain substantial undeveloped opportunities. As has been well foreshadowed, Westgold intends to separate these assets and its wholly owned subsidiary, Castile Resources Pty Ltd with a plan to have them independently funded and listed before year end.

Westgold's Managing Director, Peter Cook said:

"The 2019 financial year has laid a strong foundation for the long-term success of Westgold's Murchison gold strategy. We now have our three Murchison plants operating at full capacity and our flagship, Big Bell mine is building to full output over the coming year. We have also significantly streamlined our business and commensurately increased our focus on the core Murchison assets via the divestment of the mature Higginsville Gold Operations.

We have produced over 250,000 ounces of gold on average for the past three years and despite this we have managed to maintain our strong Ore Reserve base at a rate greater than depletion. This reflects the sustainable and progressive nature of the Mineral Resources in our key underground mines where progressive upgrade of Mineral Resources into Ore Reserves occurs.

Importantly for the future of the Company, the transition from development and growth capital to sustaining capital frees up available cash resources to focus on Mineral Resource growth and Ore Reserve conversion, which will enable Westgold to take full advantage of the current elevated gold price cycle."

Details of all identified Mineral Resource and Ore Reserve estimates are detailed in the attached appendices.

Enquiries

Peter Cook Managing Director peter.cook@westgold.com.au Steve Norregaard Operations Director steve.norregaard@westgold.com.au rod.corps@westgold.com.au

Rod Corps Manager - Investor Relations

Westgold Resources Limited ACN 009 260 306

WESTGOLD RESOURCES LIMITED

Gold Operations

Consolidate Mineral Resource Statement - Rounded for Reporting 30/6/19

Project	Tonnes ('000s)	Grade	Ounces Au ('000s)
Measured			
CMGP (MGO + CGO)	3,328	3.11	333
FG0	753	2.76	67
Sub-Total	4,081	3.04	399
Indicated			
CMGP (MGO + CGO)	60,854	2.26	4,416
FG0	15,436	1.89	938
Sub-Total	76,290	2.18	5,355
Inferred			
CMGP (MGO + CGO)	44,641	2.08	2,978
FG0	5,829	2.07	389
Sub-Total	50,470	2.07	3,367
Total			
CMGP (MGO + CGO)	108,823	2.21	7,727
FG0	22,018	1.97	1,394
Grand Total	130,841	2.17	9,121

Glossary

CGO - Cue Gold Operations.

CMGP - Central Murchison Gold Project (aggregate of CGO and MGO to reflect processing optionality).

FGO - Fortnum Gold Operations.

MGO - Murchison Gold Operations.

WESTGOLD RESOURCES LIMITED

Gold Operations

Consolidated Ore Reserve Statement - Rounded for Reporting

Project	Tonnes ('000s)	Grade	Ounces Au ('000s)
Proven			
CMGP (MGO + CGO)	1,814	2.43	142
FG0	891	2.55	73
Sub-Total	2,705	2.47	215
Probable			
CMGP (MGO + CGO)	23,379	2.73	2,054
FG0	5,473	1.99	350
Sub-Total	28,852	2.59	2,404
Total			
CMGP (MGO + CGO)	25,193	2.71	2,196
FG0	6,364	2.07	423
Grand Total	31,558	2.58	2,620

Central Murchison Gold Project (CMGP) (CGO + MGO) Mineral Resource Statement - Rounded for Reporting 30/6/19

						00,0,.,						
		Measured			Indicated			Inferred			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
B: B !!	445	0.05	10	1/ 050	0.50	4.455	F (0)	0.45	400	00.074	0.55	0.400
Big Bell	115	3.35	12	16,250	2.79	1,457	7,496	2.65	639	23,861	2.75	2,108
Cuddingwarra	-	-	-	6,441	2.06	427	2,048	2.50	164	8,490	2.17	591
Day Dawn	263	2.15	18	4,296	3.89	537	3,263	2.52	264	7,822	3.26	819
Tuckabianna	247	6.49	51	4,340	2.87	401	5,341	2.26	388	9,928	2.63	840
Tuckabianna Stockpiles	37	4.91	6	3,731	0.71	85	-	-	-	3,768	0.75	91
Meekatharra North	-	-	-	481	2.01	31	172	1.72	10	653	1.94	41
Nannine	-	-	-	925	2.14	64	321	2.26	23	1,247	2.17	87
Paddy's Flat	1,820	3.60	211	12,579	1.59	643	10,183	1.47	481	24,582	1.69	1,335
Reedy's	113	1.71	6	3,485	2.66	299	8,850	2.41	687	12,448	2.48	992
Yaloginda	15	2.26	1	8,324	1.77	473	6,965	1.44	322	15,304	1.62	797
Bluebird Stockpiles	719	1.15	27	-	-	-	-	-	-	719	1.15	27
Total	3,328	3.11	333	60,854	2.26	4,416	44,641	2.08	2,978	108,823	2.21	7,727

Central Murchison Gold Project (CMGP) (CGO + MGO)

Mineral Resource Statement - Comparison to Previous Year

	20	018 Mineral Resou	ırce	20	19 Mineral Reso	urce		Change	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Big Bell	23,977	2.75	2,119	23,861	2.75	2,108	-116	0.00	-12
Cuddingwarra	9,381	2.15	648	8,490	2.17	591	-891	0.02	-57
Day Dawn	8,238	3.19	844	7,822	3.26	819	-416	0.07	-24
Tuckabianna	9,963	2.58	826	9,928	2.63	840	-35	0.05	14
Tuckabianna Stockpiles	4,155	0.76	102	3,768	0.75	91	-387	-0.01	-10
Meekatharra North	1,679	1.59	86	653	1.94	41	-1,025	0.35	-45
Nannine	1,139	1.68	61	1,247	2.17	87	108	0.49	26
Paddy's Flat	28,805	1.65	1,526	24,582	1.69	1,335	-4,223	0.04	-191
Reedy's	12,725	2.45	1,003	12,448	2.48	992	-276	0.03	-11
Yaloginda	15,347	1.62	798	15,304	1.62	797	-43	0.00	-2
Bluebird Stockpiles	610	1.32	26	719	1.15	27	109	-0.17	1
Total	116,019	2.16	8,039	108,823	2.21	7,727	-7,196	1.35	-312

Central Murchison Gold Project (CMGP) (CGO + MGO) Ore Reserve Statement - Rounded for Reporting 30/6/19

		Proven			Probable			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Big Bell	-	-	-	11,829	2.88	1,096	11,829	2.88	1,096
Cuddingwarra	-	-	-	865	2.21	61	865	2.21	61
Day Dawn	120	2.29	9	1,827	5.83	342	1,947	5.61	351
Tuckabianna	66	5.90	13	1,708	2.36	130	1,774	2.49	142
Tuckabianna Stockpiles	37	4.91	6	3,731	0.71	85	3,768	0.75	91
Meekatharra North	-	-	-	346	1.87	21	346	1.87	21
Nannine	1	3.94	0	388	2.30	29	389	2.30	29
Paddy's Flat	871	3.11	87	892	3.54	101	1,762	3.33	189
Reedy's	-	-	-	1,170	3.31	125	1,170	3.31	125
Yaloginda	-	-	-	624	3.20	64	624	3.20	64
Bluebird Stockpiles	719	1.19	27	-	-	-	719	1.19	27
Total	1,814	2.43	142	23,379	2.73	2,054	25,193	2.71	2,196

Central Murchison Gold Project (CMGP) (CGO + MGO) Ore Reserve Statement - Comparison to Previous Year 30/6/19

		2018 Ore Reserve			2019 Ore Reserve			Change	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Big Bell	11,829	2.89	1,098	11,829	2.88	1,096	0	-0.01	-2
Cuddingwarra	1,289	2.08	86	865	2.21	61	-424	0.13	-25
Day Dawn	2,112	3.93	267	1,947	5.61	351	-165	1.68	84
Tuckabianna	2,423	3.18	248	1,774	2.49	142	-649	-0.68	-105
Tuckabianna Stockpiles	4,155	0.76	102	3,768	0.75	91	-387	-0.01	-10
Meekatharra North	421	1.74	24	346	1.87	21	-74	0.12	-3
Nannine	244	1.86	15	389	2.30	29	145	0.44	14
Paddy's Flat	3,115	2.82	282	1,762	3.33	189	-1,352	0.51	-93
Reedy's	713	2.94	67	1,170	3.31	125	456	0.37	57
Yaloginda	564	2.52	46	624	3.20	64	60	0.69	19
Bluebird Stockpiles	610	1.32	26	719	1.19	27	109	-0.14	1
Total	27,474	2.56	2,259	25,193	2.71	2,196	-2,281	0.86	-63

Cue Gold Operations (CGO)

Mineral Resource Statement - Rounded for Reporting

30/6/19

		Measured			Indicated			Inferred			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Big Bell	115	3.35	12	16,250	2.79	1,457	7,496	2.65	639	23,861	2.75	2,108
Cuddingwarra	-	-	-	6,441	2.06	427	2,048	2.50	164	8,490	2.17	591
Day Dawn	263	2.15	18	4,296	3.89	537	3,263	2.52	264	7,822	3.26	819
Tuckabianna	247	6.49	51	4,340	2.87	401	5,341	2.26	388	9,928	2.63	840
Stockpiles	37	4.91	6	3,731	0.71	85	-	-	-	3,768	0.75	91
Total	662	4.13	88	35,059	2.58	2,907	18,149	2.49	1,455	53,870	2.57	4,450

Cue Gold Operations (CGO)

Ore Reserve Statement - Rounded for Reporting

		Proven			Probable			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Big Bell	-	-	-	11,829	2.88	1,096	11,829	2.88	1,096
Cuddingwarra	-	-	-	865	2.21	61	865	2.21	61
Day Dawn	120	2.29	9	1,827	5.83	342	1,947	5.61	351
Tuckabianna	66	5.90	13	1,708	2.36	130	1,774	2.49	142
Stockpiles	37	4.91	6	3,731	0.71	85	3,768	0.75	91
Total	224	3.79	27	19,959	2.67	1,714	20,183	2.68	1,742

Cue Gold Operations (CGO)

Mineral Resource Statement - Comparison to Previous Year

30/6/19

	20	18 Mineral Resour	се	2	2019 Mineral Resourc	е		Change	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Big Bell	23,977	2.75	2,119	23,861	2.75	2,108	-116	0.00	-12
Cuddingwarra	9,381	2.15	648	8,490	2.17	591	-891	0.02	-57
Day Dawn	8,238	3.19	844	7,822	3.26	819	-416	0.07	-24
Tuckabianna	9,963	2.58	826	9,928	2.63	840	-35	0.05	14
Stockpiles	4,155	0.76	102	3,768	0.75	91	-387	-0.01	-10
Total	55,714	2.53	4,539	53,870	2.57	4,450	-1,845	1.51	-89

Cue Gold Operations (CGO)

Ore Reserve Statement - Comparison to Previous Year

		2018 Ore Reserv	e		2019 Ore Reserve		Change			
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	
Big Bell	11,829	2.89	1,098	11,829	2.88	1,096	0	-0.01	-2	
Cuddingwarra	1,289	2.08	86	865	2.21	61	-424	0.13	-25	
Day Dawn	2,112	3.93	267	1,947	5.61	351	-165	1.68	84	
Tuckabianna	2,423	3.18	248	1,774	2.49	142	-649	-0.68	-105	
Stockpiles	4,155	0.76	102	3,768	0.75	91	-387	-0.01	-10	
Total	21,807	2.57	1,800	20,183	2.68	1,742	-1,624	1.12	-58	

Meekatharra Gold Operations (MGO)

Mineral Resource Statement - Rounded for Reporting

30/6/19

		Measured			Indicated			Inferred			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Meekatharra North	-	-	-	481	2.01	31	172	1.72	10	653	1.94	41
Nannine	-	-	-	925	2.14	64	321	2.26	23	1,247	2.17	87
Paddy's Flat	1,820	3.60	211	12,579	1.59	643	10,183	1.47	481	24,582	1.69	1,335
Reedy's	113	1.71	6	3,485	2.66	299	8,850	2.41	687	12,448	2.48	992
Yaloginda	15	2.26	1	8,324	1.77	473	6,965	1.44	322	15,304	1.62	797
Stockpiles	719	1.15	27	-	-	-	-	-	-	719	1.15	27
Total	2,666	2.86	245	25,795	1.82	1,509	26,492	1.79	1,523	54,953	1.85	3,277

Meekatharra Gold Operations (MGO)

Ore Reserve Statement - Rounded for Reporting

		Proven			Probable			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Meekatharra North	-	-	-	346	1.87	21	346	1.87	21
Nannine	1	3.94	0	388	2.30	29	389	2.30	29
Paddy's Flat	871	3.11	87	892	3.54	101	1,762	3.33	189
Reedy's	-	-	-	1,170	3.31	125	1,170	3.31	125
Yaloginda	-	-	-	624	3.20	64	624	3.20	64
Stockpiles	719	1.19	27	-	-	-	719	1.19	27
Total	1,590	2.24	115	3,420	3.09	340	5,010	2.82	454

Meekatharra Gold Operations (MGO)

Mineral Resource Statement - Comparison to Previous Year

30/6/19

	20	18 Mineral Resou	irce	2	019 Mineral Resour	ce	Change				
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)		
Meekatharra North	1,679	1.59	86	653	1.94	41	-1,025	0.35	-45		
Nannine	1,139	1.68	61	1,247	2.17	87	108	0.49	26		
Paddy's Flat	28,805	1.65	1,526	24,582	1.69	1,335	-4,223	0.04	-191		
Reedy's	12,725	2.45	1,003	12,448	2.48	992	-276	0.03	-11		
Yaloginda	15,347	1.62	798	15,304	1.62	797	-43	0.00	-2		
Stockpiles	610	1.32	26	719	1.15	27	109	-0.17	1		
Total	60,305	1.81	3,500	54,953	1.85	3,277	-5,351	1.29	-223		

Meekatharra Gold Operations (MGO)

Ore Reserve Statement - Comparison to Previous Year

		2018 Ore Reserve	e		2019 Ore Reserve		Change				
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)		
Meekatharra North	421	1.74	24	346	1.87	21	-74	0.12	-3		
Nannine	244	1.86	15	389	2.30	29	145	0.44	14		
Paddy's Flat	3,115	2.82	282	1,762	3.33	189	-1,352	0.51	-93		
Reedy's	713	2.94	67	1,170	3.31	125	456	0.37	57		
Yaloginda	564	2.52	46	624	3.20	64	60	0.69	19		
Stockpiles	610	1.32	26	719	1.19	27	109	-0.14	1		
Total	5,667	2.52	459	5,010	2.82	454	-657	0.23	-5		

Fortnum Gold Operations (FGO)

Mineral Resource Statement - Rounded for Reporting

30/6/19

		Measured			Indicated			Inferred			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Fortnum	332	4.56	49	6,012	2.51	485	3,927	2.23	281	10,271	2.47	814
Horseshoe	-	-	-	565	2.16	39	48	1.23	2	612	2.09	41
Peak Hill	-	-	-	5,239	1.70	287	1,258	2.04	82	6,496	1.77	369
Stockpiles	421	1.34	18	1,312	0.91	38	16	0.54	0	1,749	1.01	57
Total	753	2.76	67	13,127	2.01	849	5,249	2.17	366	19,129	2.08	1,282

Fortnum Gold Operations (FGO)

Ore Reserve Statement - Rounded for Reporting

		Proven			Probable			Total	
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)
Fortnum	470	3.63	55	2,460	2.57	203	2,929	2.74	258
Horseshoe	-	-	-	579	2.06	38	579	2.06	38
Peak Hill	-	-	-	1,122	1.95	70	1,122	1.95	70
Stockpiles	421	1.34	18	1,312	0.91	38	1,733	1.02	57
Total	891	2.55	73	5,473	1.99	350	6,364	2.07	423

Fortnum Gold Operations (FGO)

Mineral Resource Statement - Comparison to Previous Year

30/6/19

	20	118 Mineral Resou	irce	2	2019 Mineral Resour	ce	Change				
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)		
Fortnum	9,448	2.26	685	10,271	2.47	814	823	0.21	129		
Horseshoe	1,449	2.01	93	612	2.09	41	-837	0.08	-52		
Peak Hill	6,518	1.77	371	6,496	1.77	369	-21	0.00	-2		
Stockpiles	1,515	0.90	44	1,749	1.01	57	234	0.12	13		
Total	18,930	1.96	1,193	19,129	2.08	1,282	199	13.80	88		

Fortnum Gold Operations (FGO)

Ore Reserve Statement - Comparison to Previous Year

		2018 Ore Reserve			2019 Ore Reserve		Change				
Project	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)	Tonnes ('000s)	Grade	Ounces Au ('000s)		
Fortnum	3,859	2.40	298	2,929	2.74	258	-929	0.34	-40		
Horseshoe	549	1.98	35	579	2.06	38	30	0.08	3		
Peak Hill	328	1.85	20	1,122	1.95	70	794	0.10	51		
Stockpiles	1,154	1.02	38	1,733	1.02	57	579	0.00	19		
Total	5,890	2.06	390	6,364	2.07	423	474	2.19	33		

WESTGOLD RESOURCES LIMITED

Northern Territory - Undeveloped Polymetallic Deposits

Mineral Resource Statement - Rounded for Reporting

30/6/19

		Gold			Silver			Copper			Bismuth			Cobalt			Lead			Zinc	
Project	k tonnes	Grade	k oz	k tonnes	Grade	k oz	k tonnes	Grade	k t metal	k tonnes	Grade	k t metal	k tonnes	Grade	k t metal	k tonnes	Grade	k t metal	k tonnes	Grade	k t metal
Indicated																					
Explorer 108	-	-	-	8,438	14.32	3,886	5,689	0.36%	20	-	-	-	-	-	-	8,438	2.05%	173	8,438	3.41%	288
Explorer 142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rover 1	3,618	1.49	173	3,618	2.13	248	3,618	1.06%	38	3,618	0.17%	6	3,618	0.05%	2	-	-	-	-	-	-
Sub-Total	3,618	1.49	173	12,056	10.66	4,134	9,307	0.63%	59	3,618	0.17%	6	3,618	0.05%	2	8,438	2.05%	173	8,438	3.41%	288
Inferred																					
Explorer 108	-	-	-	3,430	3.32	366	-	-	-	-	-	-		-	-	3,430	1.88%	64	3,430	2.81%	96
Explorer 142	176	0.21	1	-	-	-	176	5.21%	9	-	-	-	-	-	-	-	-	-	-	-	-
Rover 1	3,282	2.02	213	3,282	2.00	211	3,282	1.36%	45	3,282	0.10%	3	3,282	0.07%	2	-	-	-	-	-	-
Sub-Total	3,458	1.93	214	6,712	2.67	577	3,458	1.56%	54	3,282	0.10%	3	3,282	0.07%	2	3,430	1.88%	64	3,430	2.81%	96
Total																					
Explorer 108	-	-	-	11,868	11.14	4,252	5,689	0.36%	20	-	-	-	-	-	-	11,868	2.00%	237	11,868	3.24%	385
Explorer 142	176	0.21	1	-	-	-	176	5.21%	9	-	-	-	-	-	-	-	-	-	-	-	-
Rover 1	6,900	1.74	386	6,900	2.07	459	6,900	1.20%	83	6,900	0.14%	9	6,900	0.06%	4	-	-	-	-	-	-
Grand Total	7,076	1.70	388	18,768	7.81	4,710	12,765	0.88%	112	6,900	0.14%	9	6,900	0.06%	4	11,868	2.00%	237	11,868	3.24%	385

Note: The Mineral Resource Statement for the Northern Territory Projects remains unchanged on a year on year basis.

JORC 2012 TABLE 1 – GOLD DIVISION SECTION 1 SAMPLING TECHNIQUES AND DATA

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	A significant portion of the data used in resource calculations has been gathered from diamond core. Multiple sizes have been used historically. This core is geologically logged and subsequently halved for sampling. Grade control holes may be whole-cored to streamline the core handling process if required. • Face Sampling At each of the major past and current underground producers, each development face / round is horizontally chip sampled. The sampling intervals are domained by geological constraints (e.g. rock type, veining and alteration / sulphidation etc.). The majority of exposures within the orebody are sampled. • Sludge Drilling Sludge drilling at is performed with an underground production drill rig. It is an open
Drilling techniques	 Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). Method of recording and assessing core and chip sample recoveries and results assessed. 	hole drilling method using water as the flushing medium, with a 64mm (nominal) hole diameter. Sample intervals are ostensibly the length of the drill steel. Holes are drilled at sufficient angles to allow flushing of the hole with water following each interval to prevent contamination. Sludge drilling is not used to inform resource models. • RC Drilling Drill cuttings are extracted from the RC return via cyclone. The underflow from each interval is transferred via bucket to a four tiered riffle splitter, delivering approximately three kilograms of the recovered material into calico bags for analysis. The residual
Drill sample recovery	 Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	material is retained on the ground near the hole. Composite samples are obtained from the residue material for initial analysis, with the split samples remaining with the individual residual piles until required for re-split analysis or eventual disposal. • RAB / Air Core Drilling Combined scoops from bucket dumps from cyclone for composite. Split samples taken from individual bucket dumps via scoop. RAB holes are not included in the resource estimate.
		Blast Hole Drilling Cuttings sampled via splitter tray per individual drill rod. Blast holes not included in the resource estimate. All geology input is logged and validated by the relevant area geologists, incorporated into this is assessment of sample recovery. No defined relationship exists between sample recovery and grade. Nor has sample bias due to preferential loss or gain of fine or coarse material been noted.

Criteria	JORC Code Explanation	Commentary
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. 	veining, alteration, mineralisation and orientated structure. Westgold underground drill-holes are logged in detail for geology, veining, alteration, mineralisation and structure. Core has been logged in enough detail to allow for the relevant mineral resource estimation techniques to be employed.
	The total length and percentage of the relevant intersections logged	Surface core is photographed both wet and dry and underground core is photographed wet. All photos are stored on the companies servers, with the photographs from each hole contained within separate folders.
		Development faces are mapped geologically.
		RC, RAB and Aircore chips are geologically logged.
		Sludge drilling is logged for lithology, mineralisation and vein percentage.
		Logging is quantitative in nature.
		All holes are logged completely, all faces are mapped completely.
Sub-sampling techniques	If core, whether cut or sawn and whether quarter, half or all core taken.	Blast holes -Sampled via splitter tray per individual drill rods.
and sample preparation	• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	RAB / AC chips - Combined scoops from bucket dumps from cyclone for composite. Split samples taken from individual bucket dumps via scoop.
	• For all sample types, the nature, quality and appropriateness of the sample preparation	RC - Three tier riffle splitter (approximately 5kg sample). Samples generally dry.
	technique. • Quality control procedures adopted for all sub-sampling stages to maximise	Face Chips - Nominally chipped horizontally across the face from left to right, sub-set via geological features as appropriate.
	 representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. 	Diamond Drilling - Half-core niche samples, sub-set via geological features as appropriate. Grade control holes may be whole-cored to streamline the core handling process if required.
	Whether sample sizes are appropriate to the grain size of the material being sampled.	Chips / core chips undergo total preparation.
		• Samples undergo fine pulverisation of the entire sample by an LM5 type mill to achieve a 75µ product prior to splitting.
		QA/QC is currently ensured during the sub-sampling stages process via the use of the systems of an independent NATA / ISO accredited laboratory contractor. A significant portion of the historical informing data has been processed by in-house laboratories.
		The sample size is considered appropriate for the grain size of the material being sampled.
		The un-sampled half of diamond core is retained for check sampling if required. For RC chips regular field duplicates are collected and analysed for significant variance to primary results.
Quality of assay data and	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	
laboratory tests		» A 40g sample undergoes fire assay lead collection followed by flame atomic
	• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	 adsorption spectrometry. The laboratory includes a minimum of 1 project standard with every 22 samples analysed.
	Nature of quality control procedures adopted (eg standards, blanks, duplicates,	 » Quality control is ensured via the use of standards, blanks and duplicates.
	external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias)	No significant QA/QC issues have arisen in recent drilling results.
	and precision have been established.	
		Historical drilling has used a combination of Fire Assay, Aqua Regia and PAL analysis.

Criteria	JORC Code Explanation	Commentary
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	 No independent or alternative verifications are available. Virtual twinned holes have been drilled in several instances across all sites with no significant issues highlighted. Drillhole data is also routinely confirmed by development assay data in the operating environment. Primary data is collected utilising LogChief. The information is imported into a SQL database server and verified. All data used in the calculation of resources and reserves are compiled in databases (underground and open pit) which are overseen and validated by senior geologists. No adjustments have been made to any assay data.
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 Data spacing is variable dependent upon the individual orebody under consideration. A lengthy history of mining has shown that this approach is appropriate for the Mineral Resource estimation process and to allow for classification of the resources as they stand. Compositing is carried out based upon the modal sample length of each individual do-main.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	underground infrastructure constraints / topography allows.
Sample security	The measures taken to ensure sample security.	 For samples assayed at on-site laboratory facilities, samples are delivered to the facility by Company staff. Upon delivery the responsibility for sample security and storage falls to the independent third party operators of these facilities. For samples assayed off-site, samples are delivered to a third party transport service, who in turn relay them to the independent laboratory contractor. Samples are stored securely until they leave site.
Audits or reviews	The results of any audits or reviews of sampling techniques and data	Site generated resources and reserves and the parent geological data is routinely reviewed by the Westgold Corporate technical team.

SECTION 2 REPORTING OF EXPLORATION RESULTS

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code Explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	
Exploration done by other parties	Acknowledgment and appraisal of exploration by other partie	 The CMGP tenements have an exploration and production history in excess of 100 years. The FGO tenements have an exploration and production history in excess of 30 years. Westgold work has generally confirmed the veracity of historic exploration data.

Criteria	JORC Code Explanation	Cor	mmentary
Geology	Deposit type, geological setting and style of mineralisation.		MGO
		•	MGO is located in the Achaean Murchison Province, a granite-greenstone terrane in the northwest of the Yilgarn Craton. Greenstone belts trending north-northeast are separated by granite-gneiss domes, with smaller granite plutons also present within or on the margins of the belts.
		•	The Paddy's Flat area is located on the western limb of a regional fold, the Polelle Syn- cline, within a sequence of mafic to ultramafic volcanics with minor interflow sediments and banded iron-formation. The sequence has also been intruded by felsic porphyry dykes prior to mineralisation. Mineralisation is located along four subparallel trends at Paddy's Flat which can be summarized as containing three dominant mineralisation styles:
			» Sulphide replacement BIF hosted gold. Quartz vein hosted shear-related gold.
			» Quartz-carbonate-sulphide stockwork vein and alteration related gold.
		•	The Yaloginda area is a gold-bearing Archaean greenstone belt situated ~15km south of Meekatharra. The deposits in the area are hosted in a strained and metamorphosed volcanic sequence that consists primarily of ultramafic and high-magnesium basalt with minor komatiite, peridotite, gabbro, tholeiitic basalt and interflow sediments. The sequence was intruded by a variety of felsic porphyry and intermediate sills and dykes.
		•	The Reedy's mining district is located approximately 15 km to the south-east to Meekatharra and to the south of Lake Annean. The Reedy gold deposits occur within a north-south trending greenstone belt, two to five kilometres wide, composed of volcano-sedimentary sequences and separated multiphase syn- and post-tectonic granitoid complexes. Structurally controlled the gold occur.
			CGO
		•	CGO is located in the Achaean Murchison Province, a granite-greenstone terrane in the northwest of the Yilgarn Craton. Greenstone belts trending north-northeast are separated by granite-gneiss domes, with smaller granite plutons also present within or on the margins of the belts.
		•	Mineralisation at Big Bell is hosted in the shear zone (Mine Sequence) and is associated with the post-peak metamorphic retrograde assemblages. Stibnite, native antimony and trace arsenopyrite are disseminated through the K-feldspar-rich lode schist. These are intergrown with pyrite and pyrrhotite and chalcopyrite. Mineralisation outside the typical Big Bell host rocks (KPSH), for example 1,600N and Shocker, also display a very strong W-As-Sb geochemical halo.
		•	Numerous gold deposits occur within the Cuddingwarra Project area, the majority of which are hosted within the central mafic-ultramafic ± felsic porphyry sequence. Within this broad framework, mineralisation is shown to be spatially controlled by competency contrasts across, and flexures along, layer-parallel D2 shear zones, and is maximised when transected by corridors of northeast striking D3 faults and fractures.
		•	The Great Fingall Dolerite hosts the majority gold mineralisation within the portion of the greenstone belt proximal to Cue (The Day Dawn Project Area). Unit AGF3 is the most brittle of all the five units and this characteristic is responsible for its role as the most favourable lithological host to gold mineralisation in the Greenstone Belt.

Criteria	JORC Code Explanation	Commentary
		FG0
		 The Fortnum deposits are Paleoproterozoic shear-hosted gold deposits within the Fortnum Wedge, a localised thrust duplex of Narracoota Formation within the overlying Ravelstone Formation. Both stratigraphic formations comprise part of the Bryah Basin in the Capricorn Orogen, Western Australia.
		 The Horseshoe Cassidy deposits are hosted within the Ravelstone Formation (siltstone and argillite) and Narracoota Formation (highly-altered, moderate to strongly deformed mafic to ultramafic rocks). The main zone of mineralisation is developed within a horizon of highly altered magnesian basalt. Gold mineralisation is associated with strong vein stock works that are confined to the altered mafic. Alteration consists of two types; stockwork proximal silica-carbonate-fuchsite-haematite-pyrite and distal silica-haematite-carbonate+/- chlorite.
		 The Peak Hill district represents remnants of a Proterozoic fold belt comprising highly deformed trough and shelf sediments and mafic / ultramafic volcanics, which are generally moderately metamorphosed (except for the Peak Hill Metamorphic Suite).
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	No drillhole information is being presented in this release.
	» easting and northing of the drill hole collar	
	» elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar	
	» dip and azimuth of the hole	
	» down hole length and interception depth	
	» hole length.	
	If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.	No drillhole information is being presented in this release.
	Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	
	The assumptions used for any reporting of metal equivalent values should be clearly stated.	
Relationship between	These relationships are particularly important in the reporting of Exploration Results.	No drillhole information is being presented in this release.
mineralisation widths and intercept lengths	If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.	
	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	

Criteria	JORC Code Explanation	Commentary
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	91
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	'
Further work	The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).	Ongoing surface and underground exploration activities will be undertaken to support continuing mining activities at Westgold Gold Operations.
	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	

SECTION 3 ESTIMATION AND REPORTING OF MINERAL RESOURCES

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

Criteria	JORC Code Explanation	Commentary
Database integrity	 Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes. Data validation procedures used. 	
Site visits	 Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	Mr. Russell visits Westgold Gold Operations regularly.

Criteria	JORC Code Explanation	Cor	mmentary
Geological interpretation	Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit.	•	Mining in the Murchison district has occurred since 1800's providing significant confidence in the currently geological interpretation across all projects.
	Nature of the data used and of any assumptions made.	•	No alternative interpretations are currently considered viable.
	 The effect, if any, of alternative interpretations on Mineral Resource estimation. The use of geology in guiding and controlling Mineral Resource estimation. The factors affecting continuity both of grade and geology. 	•	Geological interpretation of the deposit was carried out using a systematic approach to ensure that the resultant estimated Mineral Resource figure was both sufficiently constrained, and representative of the expected sub-surface conditions. In all aspects of resource estimation the factual and interpreted geology was used to guide the development of the interpretation.
		•	Geological matrixes were established to assist with interpretation and construction of the estimation domains.
		•	The structural regime is the dominant control on geological and grade continuity in the Murchison. Lithological factors such as rheology contrast are secondary controls on grade distribution.
		•	Low-grade stockpiles are derived from previous mining of the mineralisation styles outlined above.
Dimensions	The extent and variability of the Mineral Resource expressed as length (along strike or		MGO
	otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource.	•	The Paddy's Flat Trend is mineralised a strike length of >3,900m, a lateral extent of up +230m and a depth of over 500m.
		•	Bluebird is mineralised a strike length of >1,800m, a lateral extent of up +50m and a depth of over 500m.
		•	Triton – South Emu is mineralised a strike length of >1,100m, a lateral extent of several metres and a depth of over 500m.
			CGO
		•	The Big Bell Trend is mineralised a strike length of >3,900m, a lateral extent of up
		•	+50m and a depth of over 1,500m.
		•	Great Fingall is mineralised a strike length of >500m, a lateral extent of >600m and a depth of over 800m.
		•	Black Swan South is mineralised a strike length of >1,700m, a lateral extent of up +75m and a depth of over 300m.
			FG0
		•	The Yarlarweelor mineral resource extends over 1,400m in strike length, 570m in lateral extent and 190m in depth.
		•	The Tom's and Sam's mineral resource extends over 650m in strike length, 400m in lateral extent and 130m in depth.
		•	The Eldorado mineral resource extends over 240m in strike length, 100m in lateral extent and 100m in depth.
		•	Low-grade stockpiles are of various dimensions.

Criteria	JORC Code Explanation	Commentary
		All modelling and estimation work undertaken by Westgold is carried out in thre dimensions via Surpac Vision.
		 After validating the drillhole data to be used in the estimation, interpretation of the orebody is undertaken in sectional and / or plan view to create the outline strings whice form the basis of the three dimensional orebody wireframe. Wireframing is then carrie out using a combination of automated stitching algorithms and manual triangulation create an accurate three dimensional representation of the sub-surface mineralise body.
		 Drillhole intersections within the mineralised body are defined, these intersection are then used to flag the appropriate sections of the drillhole database tables for compositing purposes. Drillholes are subsequently composited to allow for gradestimation. In all aspects of resource estimation the factual and interpreted geologies was used to guide the development of the interpretation.
		 Once the sample data has been composited, a statistical analysis is undertaken to assi with determining estimation search parameters, top-cuts etc. Variographic analys of individual domains is undertaken to assist with determining appropriate searc parameters. Which are then incorporated with observed geological and geometric features to determine the most appropriate search parameters.
		 An empty block model is then created for the area of interest. This model contain attributes set at background values for the various elements of interest as well a density, and various estimation parameters that are subsequently used to assist resource categorisation. The block sizes used in the model will vary depending o orebody geometry, minimum mining units, estimation parameters and levels informing data available.
		 Grade estimation is then undertaken, with ordinary kriging estimation method considered as standard, although in some circumstances where sample populatior are small, or domains are unable to be accurately defined, inverse distance weightir estimation techniques will be used. Both by-product and deleterious elements at estimated at the time of primary grade estimation if required. It is assumed that by products correlate well with gold. There are no assumptions made about the recove of by-products.
		 The resource is then depleted for mining voids and subsequently classified in line with JORC guidelines utilising a combination of various estimation derived parameters are geological / mining knowledge.
		This approach has proven to be applicable to Westgold's gold assets.
		• Estimation results are routinely validated against primary input data, previous estimates and mining output.
		 Good reconciliation between mine claimed figures and milled figures was routine achieved during past production history.
Moisture	Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content.	Tonnage estimates are dry tonnes.

Criteria	JORC Code Explanation	Commentary
Cut-off parameters	The basis of the adopted cut-off grade(s) or quality parameters applied.	The cut off grades used for the reporting of the Mineral Resources have been selected based on the style of mineralisation, depth from surface of the mineralisation and the most probable extraction technique.
Mining factors or assumptions	Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made.	Variable by deposit. No mining dilution or ore loss has been modelled in the resource model or applied to the reported Mineral Resource.
Metallurgical factors or assumptions	• The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made.	
Environmental factors or assumptions	Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made.	Westgold operates in accordance with all environmental conditions set down as conditions for grant of the respective leases.
Bulk density	 Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples. The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit. Discuss assumptions for bulk density estimates used in the evaluation process of the different materials. 	 Bulk density of the mineralisation is variable and is for the most part lithology and oxidation rather than mineralisation dependent. A large suite of bulk density determinations have been carried out across the project areas. The bulk densities were separated into different weathering domains and lithological domains A significant past mining history has validated the assumptions made surrounding bulk density.
Classification	 The basis for the classification of the Mineral Resources into varying confidence categories. Whether appropriate account has been taken of all relevant factors (ie relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data). Whether the result appropriately reflects the Competent Person's view of the deposit. 	estimation derived parameters, input data and geological / mining knowledge.
Audits or reviews	The results of any audits or reviews of Mineral Resource estimates.	 Resource estimates are peer reviewed by the Corporate technical team. No external reviews have been undertaken.

Criteria	JORC Code Explanation	Commentary
Discussion of relative accuracy/ confidence	 Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	on both a global and local scale. • A continuing history of mining with good reconciliation of mine claimed to mill recovered provides confidence in the accuracy of the estimates.

SECTION 4 ESTIMATION AND REPORTING OF ORE RESERVES

(Criteria listed in section 1, and where relevant in sections 2 and 3, also apply to this section.)

Criteria	JORC Code Explanation	Commentary
Mineral Resource estimate for conversion to Ore	Description of the Mineral Resource estimate used as a basis for the conversion to an Ore Reserve.	At all Operations the Ore Reserve is based on the corresponding reported Mineral Resource estimate.
Reserves	• Clear statement as to whether the Mineral Resources are reported additional to, or inclusive of, the Ore Reserves.	Mineral Resources reported are inclusive of those Mineral Resources modified to produce the Ore Reserve estimate.
		At all projects, all Mineral Resources that have been converted to Ore Reserve are classified as either an Indicated or Measured material.
Site visits	 Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	Mr. Anthony Buckingham has been an employee of WGX (and its subsidiaries) for the past 9 years and has over 15 years' experience specifically in the Western Australian mining industry. Mr. Buckingham visits the mine sites on a regular basis and is one of the primary engineers involved in mine planning, site infrastructure and project management.
Study status	The type and level of study undertaken to enable Mineral Resources to be converted to Ore Reserves.	Processing at the Murchison operations has occurred continuously since 2015, with previous production occurring throughout 1800's, 1900's and 2000's.
	 The Code requires that a study to at least Pre-Feasibility Study level has been undertaken to convert Mineral Resources to Ore Reserves. Such studies will have been carried out and will have determined a mine plan that is technically achievable and 	Various mineralisation styles and host domains have been mined since discovery. Mining during this time has ranged from open pit cut backs, insitu surface excavations to extensional underground developments.
	economically viable, and that material Modifying Factors have been considered	Budget level, 24 month projected, forecasts are completed on a biannual basis, validating cost and physical inventory assumptions and modelling. These updated parameters are subsequently used for the basis of the Ore Reserve modification and financial factors.
		Following exploration and infill drilling activity, Resource models are updated on both the estimation of grade and classification. These updated Resource Models then form the foundation for Ore Reserve calculation.

Criteria	JORC Code Explanation	Commentary
Cut-off parameters	The basis of the cut-off grade(s) or quality parameters applied.	Underground Mines - Cut off grades are used to determine the economic viability of the convertible Resource. COG for underground mines incorporate OPEX development and production costs, grade control, haulage, milling, administration, along with state and private royalty conditions, Where an individual mine has different mining methods and or various orebody style, COG calculations are determined for each division. These cuts are applied to production shapes (stopes) as well as high grade development. Additionally an incremental COG is applied to low grade development, whereby access to a high grade area is required.
		On the basis of above process, COG's for the underground mines range from 1.8g/t (sub level caving), 2.4g/t for bulk style open stopes, 2.8g/t for narrow vein style / discrete mechanised production fronts and 5.2g/t for man entry stoping.
		Open Pit Mines - The pit rim cut-off grade (COG) was determined as part of the Ore Reserve estimation. The pit rim COG accounts for grade control, haulage, milling, administration, along with state and private royalty conditions. This cost profile is equated against the value of the mining block in terms of recovered metal and the expected selling price. The COG is then used to determine whether or not a mining block should be delivered to the treatment plant for processing, stockpiled as low-grade or taken to the waste dump.
		On the basis of above process, COG's for the open pit mines range from 0.8g/t (whereby the Mill is local to Resources and Mill recoveries are greater than 90%) to 1.4g/t (regional pits with low Mill recoveries).
		Stockpile COG – A marginal grade was determined for each stockpile inventory to ensure it was economically viable. The COG accounts for haulage, milling, administration, along with state and private royalty conditions. Each pile honoured its Mill recovery percentage.

Criteria	JORC Code Explanation	Commentary
Mining factors or assumptions	 The method and assumptions used as reported in the Pre-Feasibility or Feasibility Study to convert the Mineral Resource to an Ore Reserve (i.e. either by application of appropriate factors by optimisation or by preliminary or detailed design). The choice, nature and appropriateness of the selected mining method(s) and other mining parameters including associated design issues such as pre-strip, access, etc. The assumptions made regarding geotechnical parameters (eg pit slopes, stope sizes, etc), grade control and pre-production drilling. The major assumptions made and Mineral Resource model used for pit and stope optimisation (if appropriate). The mining dilution factors used. The mining recovery factors used. Any minimum mining widths used. The manner in which Inferred Mineral Resources are utilised in mining studies and the 	 All Ore Reserve inventories are based upon detailed 3 dimensional designs to ens practical mining conditions are met. Additionally all Ore Reserve inventories above the mine specific COG(s) as well as containing only Measured and Indica material. Depending upon the mining method – modifying factors are used to addrhydrological, geotechnical, minimum width and blasting conditions. Open Pit Methodology Following consideration of the various modifying factors the following rules w applied to the reserve estimation process for the conversion of measured and indica resource to reserve for suitable evaluation. The mining shape in the reserve estimation is generated by a wireframe (geolinterpretation of the ore zone) which overlays the block model. Where the wire fra cuts the primary block, sub blocks fill out the remaining space to the wire fra boundary (effectively the mining shape). It is reasonable to assume that the min
	sensitivity of the outcome to their inclusion. The infrastructure requirements of the selected mining methods.	 Ore Reserves are based on Pit shape designs – with appropriate modifications to original Whittle Shell outlines to ensure compliance with practical mining parameter Geotechnical parameters aligned to the Open Pit Ore Reserves are either based observed existing pit shape specifics or domain specific expectations / assumption Various geotechnical reports and retrospective reconciliations were considered in
		 design parameters. A majority of the open pits have a final design wall angle of 39 degrees, which is seen as conservative. Dilution of the ore through the mining process has been accounted for within the Reserve quoted inventory. Various dilution ratios are used to represent the style mineralization. Where continuous, consistent ore boundaries and grade represent mineralised system the following factors are applied: oxide 15%, transitional 17% of fresh 19%. In circumstances where the orebody is less homogenous above the Country that the following dilution factors are applied in order to model correctly the inher variability of extracting discrete sections of the pit floor: oxide 17%, transitional 1 and fresh 21%. To ensure clarity, the following percentages are additional ore miner relation to excavating the wire frame boundary as identified in point 1 above, albeit a grade of 0.0 g/t. The amount of dilution is considered appropriate based on orebing geometry, historical mining performance and the size of mining equipment to be us to extract ore.
		 Expected mining recovery of the ore has been set at 93%. Minimum mining widths have been accounted for in the designs, with the utilisation 40t or 90t trucking parameters depending upon the size of the pit excavation. No specific ground support requirements are needed outside of suitable pit sleddesign criteria based on specific geotechnical domains.
		 Mining sequence is included in the mine scheduling process for determining economic evaluation and takes into account available operating time and min equipment size and performance. No Inferred material is included within the open pit statement, though in various contents.
		pit shapes inferred material is present. In these situations this inferred materia classified as waste.

Criteria	JORC Code Explanation	Commentary
		Underground Methodology
		 All Underground Reserves are based on 3D design strings and polygon derived stope shapes following the Measured and Indicated Resource (in areas above the COG). A complete mine schedule is then derived from this design to create a LOM plan and financial analysis.
		Mining methodology is based on previous mining experience. All mining systems within the Reserve statement are standardized, mechanized Western Australian methods.
		In large disseminated orebodies sub level caving, sub level open stoping or single level bench stoping production methodologies are used.
		In narrow vein laminated quartz hosted domains a conservative narrow bench style mining method is used.
		In narrow flat dipping deposits a Flat Long Hole process is adopted (with fillets in the footwall for rill angle) and or jumbo stoping.
		Stope shape parameters have been based on historical data (where possible) or expected stable hydraulic radius dimensions.
		Stope inventories have been determined by cutting the geological wireframe at above the area specific COG and applying mining dilution and ore loss factors. The ore loss ratio accounts for pillar locations between the stopes (not operational ore loss) whilst dilution allows for conversion of the geological wireframe into a minable shape (Planned dilution) as well as hangingwall relaxation and blasting overbreak (unplanned dilution).
		Depending upon the style of mineralisation, sub level interval, blasthole diameters used and if secondary support is installed, total dilution ranges from 15 to 35%.
		Minimum mining widths have been applied in the various mining methods. The only production style relevant to this constraint is 'narrow stoping' – where the minimum width is set at 1.5m in a 17.0m sub level interval.
		Mining operational recovery for the underground mines is set at 100% due to the use of remote loading units as well as paste filling activities. Mining recovery is not inclusive of pillar loss – insitu mineralised material between adjacent stope panels.
		Stope shape dimensions vary between the various methods. Default hydraulic radii are applied to each method, and are derived either from historical production or geotechnical reports / recommendations. Where no data or exposure is available conservative HR values are used based on the contact domain type.
		 Mining sequence is included in the mine scheduling process for determining the economic evaluation and takes into account available operating time and mining equipment size and performance.

Criteria	JORC Code Explanation	Commentary
Criteria Metallurgical factors or assumptions	 The metallurgical process proposed and the appropriateness of that process to the style of mineralisation. Whether the metallurgical process is well-tested technology or novel in nature. The nature, amount and representativeness of metallurgical test work undertaken, the nature of the metallurgical domaining applied and the corresponding metallurgical recovery factors applied. Any assumptions or allowances made for deleterious elements. The existence of any bulk sample or pilot scale test work and the degree to which such samples are considered representative of the orebody as a whole. 	-
	For minerals that are defined by a specification, has the ore reserve estimation been based on the appropriate mineralogy to meet the specifications?	 variety of processing has shown this to be not a material concern. For the 2019 Reserve, Plant recoveries of 80-93% have been utilised MGO MGO has an existing conventional CIL processing plant – which has been operational in various periods since the late 1980's. The plant has a nameplate capacity of 1.6Mtpa though this can be varied between 1.2-1.8Mtpa pending rosters and material type. Gold extraction is achieved using single stage crushing, SAG & ball milling with gravity concentration and Carbon in Leach. A long history of processing through the existing facility demonstrates the appropriateness of the process to the styles of mineralisation considered. No deleterious elements are considered, as a long history of processing has shown this to be not a material concern. For the 2019 Reserve, Plant recoveries of 85-92% have been utilised. FGO FGO has an existing conventional CIL processing plant – which has been operational in various periods since the late 1980's. The plant has a nameplate capacity of 1.0Mtpa though this can be varied between 0.8-1.2Mtpa pending rosters and material type. An extensive database of historical CIL recoveries as well as detailed metallurgical test work is available for the various deposits and these have been incorporated into the COG analysis and financial models. For the 2019 Reserve, Plant recoveries of 93-95% have been utilised.

Criteria	JORC Code Explanation	Commentary
Environmental	The status of studies of potential environmental impacts of the mining and processing operation. Details of waste rock characterisation and the consideration of potential sites, status of design options considered and, where applicable, the status of approvals for process residue storage and waste dumps should be reported.	 MGO MGO operates under and in compliance with a number of operating environmental plans, which cover its environmental impacts and outputs as well as reporting guidelines / frequencies.
		Various Reserve inventories do not have current DMP / DWER licenses – though there are no abnormal conditions / factors associated with these assets which the competen person sees as potentially threatening to the particular project.
		The operation is frequently inspected by the regulatory authorities of DMP and DWEF with continual feedback on environmental best practice and reporting results.
		Flood Management, Inclement Weather and Traffic Management Plans existing for the operation to minimise the risks of environmental impacts.
		 Standard Operating Procedures for the transfer of hazardous materials and restocking of Dangerous Goods existing on site to mitigate the risk of these materials entering the environment.
		CG0
		 CGO operates under and in compliance with a number of operating environmental plans, which cover its environmental impacts and outputs as well as reporting guidelines / frequencies.
		 Various Reserve inventories do not have current DMP / DWER licenses – though there are no abnormal conditions / factors associated with these assets which the competen person sees as potentially threatening to the particular project.
		The operation is frequently inspected by the regulatory authorities of DMP and DWEF with continual feedback on environmental best practice and reporting results.
		Flood Management, Inclement Weather and Traffic Management Plans existing for the operation to minimise the risks of environmental impacts.
		Standard Operating Procedures for the transfer of hazardous materials and restocking of Dangerous Goods existing on site to mitigate the risk of these materials entering the environment.
		FG0
		 FGO operates under and in compliance with a number of operating environmental plans, which cover its environmental impacts and outputs as well as reporting guidelines / frequencies.
		 Various Reserve inventories do not have current DMP / DWER licenses – though therare no abnormal conditions / factors associated with these assets which the competen person sees as potentially threatening to the particular project.
		The operation is frequently inspected by the regulatory authorities of DMP and DWEF with continual feedback on environmental best practice and reporting results.
		Flood Management, Inclement Weather and Traffic Management Plans existing for the operation to minimise the risks of environmental impacts.
		Standard Operating Procedures for the transfer of hazardous materials and restocking of Dangerous Goods existing on site to mitigate the risk of these materials entering the environment.

Criteria	JORC Code Explanation	Cor	mmentary
Infrastructure	The existence of appropriate infrastructure: availability of land for plant development,		MGO
	power, water, transportation (particularly for bulk commodities), labour, accommodation; or the ease with which the infrastructure can be provided, or accessed.	•	MGO has an operating plant and tailings storage facility, along with extensive mechanical and electrical maintenance facilities.
		•	The site also includes existing administration buildings as well as a 300 man accommodation camp facility.
		•	Power is provided by onsite diesel generation, with potable water sourced from nearby bore water (post treatment).
		•	Communications and roadways are existing.
		•	Airstrip facilities are available at the local Meekatharra airstrip (30km).
			CGO
		•	CGO has an operating plant and tailings storage facility, along with extensive mechanical and electrical maintenance facilities.
		•	The site also includes existing administration buildings as well as a 250 man accommodation camp facility.
		•	Power is provided by onsite diesel generation, with potable water sourced from nearby bore water (post treatment).
		•	Communications and roadways are existing.
		•	Airstrip facilities are available at the local Cue airstrip (20km).
			FGM
		•	FGM has an operating plant and tailings storage facility, along with extensive mechanical and electrical maintenance facilities.
		•	The site also includes existing administration buildings as well as a 200 man accommodation camp facility.
		•	Power is provided by onsite diesel generation, with potable water sourced from nearby bore water (post treatment).
		•	Communications and roadways are existing.
		•	Airstrip facilities are available on site – though a majority of the workforce are transported via the local Meekatharra airstrip.

Criteria	JORC Code Explanation	Commentary
Criteria Costs	JORC Code Explanation The derivation of, or assumptions made, regarding projected capital costs in the study. The methodology used to estimate operating costs. Allowances made for the content of deleterious elements. The source of exchange rates used in the study. Derivation of transportation charges. The basis for forecasting or source of treatment and refining charges, penalties for failure to meet specification, etc. The allowances made for royalties payable, both Government and private.	 MGO Processing costs are based on actual cost profiles with variations existing between the various oxide states. Site G&A and portioned corporate overheads are included within the analysis (based upon previous Budget years actuals). Mining costs are derived primarily from the current contractor cost profiles in both the open pit and underground environment. For Open Pits where no current mining cost profiles are available for a forecasted Reserve, a historically 'validated' pit cost matrix is used – with variation allowances for density, fuel price and gear size. For the underground environment, if not site specific mining rates are available, an appropriately selected operating mine is used for the basis of cost profiling. Geology and Grade Control costs are incorporated in the overall cost profile and are based upon previously reconciled Budgetary forecasts. Haulage costs used are either contractual rates or if in the case where a mine has none, a generic cost per tkm unit rate is utilised. Both state government and private royalties are incorporated into costings as appropriate. CGO Processing costs are based on actual cost profiles with variations existing between the various oxide states. Site G&A and portioned corporate overheads are included within the analysis (based upon previous Budget years actuals). Mining costs are derived primarily from the current contractor cost profiles in both the open pit and underground environment. For Open Pits where no current mining cost profiles are available for a forecasted Reserve, a historically 'validated' pit cost matrix is used – with variation allowances for density, fuel price and gear size. For the underground environment, if not site specific mining rates are available, an appropriately selected operating mine is used for the basis of cost profiling. Geology and Grade Control costs are incorporated in the overall cos
		 Geology and Grade Control costs are incorporated in the overall cost profile and are based upon previously reconciled Budgetary forecasts. Haulage costs used are either contractual rates or if in the case where a mine has none, a generic cost per tkm unit rate is utilised. Both state government and private royalties are incorporated into costings as appropriate.

Criteria	JORC Code Explanation	Co	mmentary
			FG0
		•	Processing costs are based on actual cost profiles with variations existing between the various oxide states.
		•	Site G&A and portioned corporate overheads are included within the analysis (based upon previous Budget years actuals).
		•	Mining costs are derived primarily from the current contractor cost profiles in both the open pit and underground environment.
		•	For Open Pits where no current mining cost profiles are available for a forecasted Reserve, a historically 'validated' pit cost matrix is used – with variation allowances for density, fuel price and gear size.
		•	For the underground environment, if not site specific mining rates are available, an appropriately selected operating mine is used for the basis of cost profiling.
		•	Geology and Grade Control costs are incorporated in the overall cost profile and are based upon previously reconciled Budgetary forecasts.
		•	Haulage costs used are either contractual rates or if in the case where a mine has none, a generic cost per tkm unit rate is utilised.
		•	Both state government and private royalties are incorporated into costings as appropriate.
Revenue factors	The derivation of, or assumptions made regarding revenue factors including head grade, metal or commodity price(s) exchange rates, transportation and treatment		Mine Revenue, COG's, open pit optimisation and royalty costs are based on the long term forecast of A\$1,725/oz.
	charges, penalties, net smelter returns, etc.	•	No allowance is made for silver by-products.
	The derivation of assumptions made of metal or commodity price(s), for the principal metals, minerals and co-products.		
Market assessment	The demand, supply and stock situation for the particular commodity, consumption trends and factors likely to affect supply and demand into the future.	•	Detailed economic studies of the gold market and future price estimates are considered by Westgold and applied in the estimation of revenue, cut-off grade analysis and future
	A customer and competitor analysis along with the identification of likely market		
	windows for the product.	•	There remains strong demand and no apparent risk to the long term demand for the gold.
	Price and volume forecasts and the basis for these forecasts. The industrial minerals the systems and constants.		gota.
	For industrial minerals the customer specification, testing and acceptance requirements prior to a supply contract.		
Economic	The inputs to the economic analysis to produce the net present value (NPV) in the study, the source and confidence of these economic inputs including estimated inflation, discount rate, etc.	•	Each separate mine (open pit, underground or stockpile) has been assessed on a standard operating cash generating model. Capital costs have been included thereafter to determine an economic outcome.
	NPV ranges and sensitivity to variations in the significant assumptions and inputs.	•	Subsequently each Operating centre (MGO, CGO and FGO) has had a Discounted Cash Flow model constructed to further demonstrate the Reserve has a positive economic outcome.
		•	A discount rate of 8% is allied in DCF modelling.
		•	No escalation of costs and gold price is included.
		•	Sensitivity analysis of key financial and physical parameters is applied to future development projects.

Criteria	JORC Code Explanation	Commentary
Criteria Social	The status of agreements with key stakeholders and matters leading to social licence to operate.	MGO MGO is fully permitted and a major contributor to the local and regional economy. It has no external pressures that impact its operation or which could potentially jeopardise its continuous operation. As new open pits or underground operations develop the site will require separate environmental approvals from the different regulating bodies. Where required, the operation has a Native Title and Pastoral Agreement. CGO CGO is fully permitted and a major contributor to the local and regional economy. It has no external pressures that impact its operation or which could potentially jeopardise its continuous operation.
		 As new open pits or underground operations develop the site will require separate environmental approvals from the different regulating bodies. Where required, the operation has a Native Title and Pastoral Agreement. FG0 FG0 is fully permitted and a major contributor to the local and regional economy. It has no external pressures that impact its operation or which could potentially jeopardise its continuous operation. As new open pits or underground operations develop the site will require separate environmental approvals from the different regulating bodies. Where required, the operation has a Native Title and Pastoral Agreement.
Other	 To the extent relevant, the impact of the following on the project and/or on the estimation and classification of the Ore Reserves: Any identified material naturally occurring risks. The status of material legal agreements and marketing arrangements. The status of governmental agreements and approvals critical to the viability of the project, such as mineral tenement status, and government and statutory approvals. There must be reasonable grounds to expect that all necessary Government approvals will be received within the timeframes anticipated in the Pre-Feasibility or Feasibility study. Highlight and discuss the materiality of any unresolved matter that is dependent on a third party on which extraction of the reserve is contingent. 	

Criteria	JORC Code Explanation	Commentary
Classification	 The basis for the classification of the Ore Reserves into varying confidence categories. Whether the result appropriately reflects the Competent Person's view of the deposit. The proportion of Probable Ore Reserves that have been derived from Measured Mineral Resources (if any). 	 accordance with the recommendations of the JORC Code 2012. Measured Resources have a high level of confidence and are generally defined in three dimensions with accurately defined or normally mineralised developed exposure. Indicated resources have a slightly lower level of confidence but contain substantial drilling and are in most instances capitally developed or well defined from a mining perspective. Inferred resources always contain significant geological evidence of existence and are drilled, but not to the same density. There is no classification of any resource that isn't drilled or defined by substantial physical sampling works. Some Measured Resources have been classified as Proven and some are defined as Probable Reserves based on internal judgement of the mining, geotechnical, processing and or cost profile estimates. No Indicated Resource material has been converted into Proven Reserve. The resultant Reserve classification appropriately reflects the view of the Competent
Audits or reviews	The results of any audits or reviews of Ore Reserve estimates.	 Person. Reserves inventories and the use of appropriate modifying factors are reviewed internally on an annual basis. Additionally, mine design and cost profiles are regularly reviewed by WGX operational quarterly reviews. Financial auditing processes, Dataroom reviews for asset sales / purchases and stockbroker analysis regularly 'truth test' the assumptions made on Reserve designs and assumptions.
Discussion of relative accuracy/ confidence	 Where appropriate a statement of the relative accuracy and confidence level in the Ore Reserve estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the reserve within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors which could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. Accuracy and confidence discussions should extend to specific discussions of any applied Modifying Factors that may have a material impact on Ore Reserve viability, or for which there are remaining areas of uncertainty at the current study stage. It is recognised that this may not be possible or appropriate in all circumstances. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	 Whilst it should be acknowledged that all Ore Reserves are based primarily upon an estimate of contained insitu gold (Resource), it is the competent person's view that the consolidated Reserve inventory is highly achievable in entirety. Given the entire Ore Reserves inventory is within existing operations, with Budgetary style cost models and current contractual mining / processing consumable rates, coupled with an extensive historical knowledge / dataset of the Resources, it is the competent person's view that the significant mining modifying factors (COG's, geotechnical parameters and dilution ratio's) applied are achievable and or within the limits of 10% sensitivity analysis.

JORC 2012 TABLE 1 - NORTHERN TERRITORY SECTION 1 SAMPLING TECHNIQUES AND DATA

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques Drilling techniques Drill sample recovery	 Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Diamond Drilling All data used in resource calculations at the Tennant Creek Project has been gathered from diamond core. Multiple core sizes have been used historically. This core is geologically logged and subsequently halved for sampling. All geology input is logged and validated by the relevant area geologists, incorporated into this is assessment of sample recovery. No defined relationship exists between sample recovery and grade. Nor has sample bias due to preferential loss or gain of fine or coarse material been noted.
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. 	 Diamond core is logged geologically and geotechnically. Logging is qualitative in nature. All holes are logged completely.

Criteria	JORC Code explanation	Commentary
Sub-sampling techniques and sample preparation Quality of assay data and laboratory tests	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, 	 Diamond Drilling - Half-core niche samples, sub-set via geological features as appropriate. Core undergoes total preparation. The sample preparation process consists of; Crushing using a vibrating jaw crusher to achieve a maximum sample size of 4mm. The sample is then weighed, and if the sample weight is greater than 3.2kg, the sample is split into two using a Jones-type Riffle splitter. The crushed sample is then pulverised in a Labtech LM5 Ring Mill for 6 minutes. For samples weighing greater than 3.2kg the first portion is removed and second portion is homogenised in the same machine. Once complete the first portion is put back in the LM5 and both portions are homogenised. From the pulverised sample, approximately 200g is taken as a master sample which stays in Alice Springs, while a second sample of approximately 150g taken and sent to for assaying. These samples are collected via a scoop inserted to the bottom of the bowl. The remaining sample is transferred to a calico bag for storage. For every 20th sample, an approximately 25g sample is screened to 75 microns to check that homogenising has achieved 80% passing 75 microns. QA/QC is ensured during sampling via the use of sample ledgers, blanks, standards and repeats. QA/QC is ensured during the assays process via the use of blanks, standards and repeats at a NATA / ISO accredited laboratory. The sample sizes are considered appropriate to the grainsize of the material being sampled. The un-sampled half of diamond core is retained for check sampling if required. Analysis of drill core for Au, Ag, Cu, Pb, Zn was carried out in Perth in the following manner; Gold [Au-AA25 scheme – lower detection limit = 0.01ppm, upper detection limit = 100ppml. A 30g charge of prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents and then cupelled to yield a precious metal bead.
	calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	 The bead is then dissolved in acid and analysed by atomic absorption spectroscopy against matrix-matched standards. Samples returning assay values in excess of 100g/t Au were repeated using the Au- AA26 method. Ag, Cu, Pb, Zn (ME-0G62) - A prepared sample is digested using a 4 acid digest. The subsequent solution is analysed by inductively coupled plasma - atomic emission spectroscopy or by atomic absorption spectrometry. No significant QA/QC issues have arisen in recent drilling results. These assay methodologies are appropriate for the resource in question.
Verification of sam- pling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	 Anomalous intervals as well as random intervals are routinely checked assayed as part of the internal QA/QC process. Virtual twinned holes have been drilled in several instances with no significant issues highlighted. Primary data is loaded into the drillhole database system and then archived for reference. All data used in the calculation of resources are compiled in databases which are overseen and validated by senior geologists. No primary assays data is modified in any way.

Criteria	JORC Code explanation	Commentary
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	All data is spatially oriented by survey controls via direct pickups by the survey department. Drillholes are all surveyed downhole, deeper holes with a Gyro tool if required.
	Specification of the grid system used.	All drilling and resource estimation is undertaken in MGA grid.
	Quality and adequacy of topographic control.	Topographic control is generated from a combination of remote sensing methods and ground-based surveys. This methodology is adequate for the resource in question.
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 Data spacing is variable dependent upon the individual orebody under consideration. This approach is appropriate for the Mineral Resource estimation process and to allow for classification of the resource as it stands. Compositing is carried out based upon the modal sample length of each individual domain.
Orientation of data in relation to geo-	• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	Drilling intersections are nominally designed to be normal to the orebody as far topography / economics allows.
logical structure	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	It is not considered that drilling orientation has introduced an appreciable sampling bias.
Sample security	The measures taken to ensure sample security.	Samples are delivered to a third party transport service, who in turn relay them to the independent laboratory contractor. Samples are stored securely until they leave site.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Site generated resources and reserves and the parent geological data is routinely reviewed by the Westgold Corporate technical team.

SECTION 2 REPORTING OF EXPLORATION RESULTS

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments 	 Native title interests are recorded against the Tennant Creek tenements. The Tennant Creek tenements are held by Castile with is 100% Westgold owned.
	to obtaining a licence to operate in the area.	 Several third party royalties exist across various tenements at Tennant Creek, over and above the Northern Territory government royalty. Castile operates in accordance with all environmental conditions set down as conditions for grant of the leases. There are no known issues regarding security of tenure.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 There are no known impediments to continued operation. The Tennant Creek area has an exploration and production history in excess of 100 years. The WGX area in particular has an intensive exploration history stretching from the 1970's. On balance, Castile work has generally confirmed the veracity of historic exploration data.

Criteria	JOF	RC Code explanation	Com	nmentary
Geology	•	Deposit type, geological setting and style of mineralisation.	•	The Tennant Creek Project is located in the 1,860-1,850Ma Warramunga Province is approximately centred on the township of Tennant Creek, and contains the Palaeoproterozoic Warramunga Formation. This is a weakly metamorphosed turbiditic succession of partly tuffaceous sandstones and siltstones which includes argillaceous banded ironstones locally referred to as 'haematite shale'.
			•	Copper in the form of chalcopyrite occurs around the upper margins of the quartz magnetite ironstones and in the silicified BIF or haematitic shales that often form an alteration transition to the adjacent chlorite alteration envelope. Although copper levels in the upper quartz magnetite portion of the ironstones is usually very low, pervasive sub-economic copper levels can persist throughout this zone. Economic levels of copper are dominantly contained in the lower massive magnetite portion or in massive magnetite "veins" identified in the magnetite quartz zones. The massive magnetite zones grade laterally and at depth into magnetite chlorite stringer zones. Gold content increases where the content of magnetite veining and chlorite alteration decreases and there is an increase in early haematite dusted quartz veins and indurated sediments and fine chlorite veining related to the mineralisation phase. The transition from massive magnetite copper mineralisation to magnetite quartz chlorite stringer gold mineralisation is also the zone of increased bismuthinite mineralisation.
			•	Lead and zinc mineralisation at Explorer 108 is associated with a brecciated dolomitised sediment unit, consisting of irregular, generally narrow, domains or veins of semi-massive sulphides (sphalerite and galena). A basal "high-grade" zone is present at the contact of the dolomite and lower felsic units.
Drill hole Infor- mation	•	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	•	No drillhole information is being reported.
		easting and northing of the drill hole collar		
	•	elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar		
	•	dip and azimuth of the hole		
	•	down hole length and interception depth		
	•	hole length.		
	•	If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.		
Data aggregation methods	•	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	•	No drillhole information is being reported.
	•	Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.		
		The assumptions used for any reporting of metal equivalent values should be clearly stated.		
Relationship	•	These relationships are particularly important in the reporting of Exploration Results.	•	No drillhole information is being reported.
between mineral- isation widths and intercept lengths	•	If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.		
microcept tengtins	•	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').		

Criteria	JOE	RC Code explanation	Commentary
Diagrams	•	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	
Balanced reporting	•	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	
Other substantive exploration data	•	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	· ·
Further work	•	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).	Exploration and mine planning assessment continues to take place at the Tennant Creek Project.
	•	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	

SECTION 3 ESTIMATION AND REPORTING OF MINERAL RESOURCES

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

Criteria	JO	RC Code explanation	Cor	nmentary
Database integrity	•	Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes. Data validation procedures used.	•	Drillhole data is stored in a Maxwell's DataShed system based on the Microsoft SQL Server platform which is currently considered "industry standard". As new data is acquired it passes through a validation approval system designed to pick-up any significant errors before the information is loaded into the master database. The information is uploaded by a series of Sequel routines and is performed as required. The database contains diamond drilling (including geotechnical and specific gravity data) and some associated metadata. By its nature this database is large in size, and therefore exports from the main database are undertaken (with or without the application of spatial and various other filters) to create a database of workable size, preserve a snapshot of the database at the time of orebody modelling and interpretation and preserve the integrity of the master database.
Site visits	•	Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case.	•	Mr Russell visits site on a regular basis.
Geological interpre- tation	•	Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit. Nature of the data used and of any assumptions made. The effect, if any, of alternative interpretations on Mineral Resource estimation. The use of geology in guiding and controlling Mineral Resource estimation. The factors affecting continuity both of grade and geology.	•	Mining of similar deposits in the region provides confidence in the current geological interpretation. No alternative interpretations are currently considered viable. Geological interpretation of the deposit was carried out using a systematic approach to ensure that the resultant estimated Mineral Resource figure was both sufficiently constrained, and representative of the expected sub-surface conditions. In all aspects of resource estimation the factual and interpreted geology was used to guide the development of the interpretation. The structural regime and the presence of intrusive source bodies are the dominant controls on geological and grade continuity at the Tennant Creek Project.
Dimensions	•	The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource.	•	Individual deposit scales vary across the Tennant Creek Project. The WGX 1 deposit is mineralised over a strike length of >540m, a lateral extent of up +70m and a depth of over 650m. The Explorer 108 deposit is mineralised over a strike length of >400m, with a thickness of up to 60m. The Explorer 142 deposit is mineralised over a strike length of >200m, with a thickness of up to 8m.

Criteria	JORC Code explanation	Commentary
Estimation and modelling techniques	 The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used. The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data. The assumptions made regarding recovery of by-products. Estimation of deleterious elements or other non-grade variables of economic significance (e.g. sulphur for acid mine drainage characterisation). In the case of block model interpolation, the block size in relation to the average sample spacing and the search employed. Any assumptions behind modelling of selective mining units. Any assumptions about correlation between variables. Description of how the geological interpretation was used to control the resource estimates. Discussion of basis for using or not using grade cutting or capping. The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available. 	 via Surpac Vision. After validating the drillhole data to be used in the estimation, interpretation of the orebody is undertaken in sectional and / or plan view to create the outline strings which form the basis of the three dimensional orebody wireframe. Wireframing is then carried out using a combination of automated stitching algorithms and manual triangulation to create an accurate three dimensional representation of the sub- surface mineralised body. Drillhole intersections within the mineralised body are defined, these intersections are then used to flag the appropriate sections of the drillhole database tables for compositing purposes. Drillholes are subsequently composited to allow for grade estimation. In all aspects of resource estimation the factual and interpreted geology was used to guide the development of the interpretation. Once the sample data has been composited, a statistical analysis is undertaken to assist with determining estimation search parameters, top-cuts etc. Variographic analysis of individual domains is undertaken to assist with determining appropriate search parameters. Which are then incorporated with observed geological and geometrical features to determine the most appropriate search parameters. An empty block model is then created for the area of interest. This model contains attributes search to the large transfer of interest. This model contains attributes and various allowed to the various elements of interest.
Moisture	Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content.	Tonnage estimates are dry tonnes.
Cut-off parameters	The basis of the adopted cut-off grade(s) or quality parameters applied.	 The Rover 1 reporting cut-off grade is 2.5g/t Au Equivalent. The Explorer 108 reporting cut-off grade is 2.5% Pb + Zn. The Explorer 142 reporting cut-off grade is 2.5g% Cu.

Criteria	JOI	RC Code explanation	Cor	mmentary
Mining factors or assumptions	•	Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made.	•	Not considered for Mineral Resource. Applied during the Reserve generation process.
Metallurgical fac- tors or assumptions	•	The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made.	•	Not considered for Mineral Resource. Applied during the Reserve generation process.
Environmental factors or assumptions	•	Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made.	•	Castile operates in accordance with all environmental conditions set down as conditions for grant of the respective leases.
Bulk density	•	Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements,	•	Bulk density of the mineralisation at the Tennant Creek Project is variable and is for the both lithology and alteration / mineralisation dependent.
	•	the nature, size and representativeness of the samples. The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc.), moisture and differences between rock and alteration zones within the deposit.	ly id	For modern drilling, field technicians perform density test-work on core samples on a campaign basis every three months. All density measurements have been determined using the simple water immersion technique. The samples from all holes were well below the base of oxidation and were in generally competent, non- porous rock.
	•	Discuss assumptions for bulk density estimates used in the evaluation process of the different materials.		
Classification	•	The basis for the classification of the Mineral Resources into varying confidence categories.	•	Resources are classified in line with JORC guidelines utilising a combination of various estimation derived parameters, the input data and geological / mining knowledge.
	•	Whether appropriate account has been taken of all relevant factors (i.e. relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data).	•	This approach considers all relevant factors and reflects the Competent Person's view of the deposit.
	•	Whether the result appropriately reflects the Competent Person's view of the deposit.		
Audits or reviews	•	The results of any audits or reviews of Mineral Resource estimates.	•	Resource estimates are peer reviewed by the site technical team as well as Westgold's Corporate technical team.

Criteria	JORC Code explanation	Commentary
Discussion of relative accuracy/ confidence	 Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate the Competent Person. For example, the application of statistical or geostatistic procedures to quantify the relative accuracy of the resource within stated confident limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. These statements of relative accuracy and confidence of the estimate should compared with production data, where available. 	a global and local scale. No production data exists to compare the resource estimate against. if c

SECTION 4 ESTIMATION AND REPORTING OF ORE RESERVES

(Criteria listed in section 1, and where relevant in sections 2 and 3, also apply to this section.)

Criteria	JORC Code explanation		Commentary	
Mineral Resource estimate for conversion	•	Description of the Mineral Resource estimate used as a basis for the conversion to an Ore Reserve.	•	No reserve has been stated for the Northern Territory Project.
to Ore Reserves	•	Clear statement as to whether the Mineral Resources are reported additional to, or inclusive of, the Ore Reserves.		
Site visits	•	Comment on any site visits undertaken by the Competent Person and the outcome of those visits.	•	No reserve has been stated for the Northern Territory Project.
	•	If no site visits have been undertaken indicate why this is the case.		
Study status	•	The type and level of study undertaken to enable Mineral Resources to be converted to Ore Reserves.	•	No reserve has been stated for the Northern Territory Project.
	•	The Code requires that a study to at least Pre-Feasibility Study level has been undertaken to convert Mineral Resources to Ore Reserves. Such studies will have been carried out and will have determined a mine plan that is technically achievable and economically viable, and that material Modifying Factors have been considered.		
Cut-off parameters	•	The basis of the cut-off grade(s) or quality parameters applied.	•	No reserve has been stated for the Northern Territory Project.

Criteria	JO	RC Code explanation	Com	nmentary
Mining factors or as- sumptions	•	The method and assumptions used as reported in the Pre-Feasibility or Feasibility Study to convert the Mineral Resource to an Ore Reserve (i.e. either by application of appropriate factors by optimisation or by preliminary or detailed design).	•	No reserve has been stated for the Northern Territory Project.
	•	The choice, nature and appropriateness of the selected mining method(s) and other mining parameters including associated design issues such as pre-strip, access, etc.		
	•	The assumptions made regarding geotechnical parameters (e.g. pit slopes, stope sizes, etc.), grade control and pre-production drilling.		
	•	The major assumptions made and Mineral Resource model used for pit and stope optimisation (if appropriate).		
	•	The mining dilution factors used.		
		The mining recovery factors used.		
	•	Any minimum mining widths used.		
	•	The manner in which Inferred Mineral Resources are utilised in mining studies and the sensitivity of the outcome to their inclusion.		
	•	The infrastructure requirements of the selected mining methods.		
Metallurgical factors or assumptions	•	The metallurgical process proposed and the appropriateness of that process to the style of mineralisation.	•	No reserve has been stated for the Northern Territory Project.
	•	Whether the metallurgical process is well-tested technology or novel in nature.		
	•	The nature, amount and representativeness of metallurgical test work undertaken, the nature of the metallurgical domaining applied and the corresponding metallurgical recovery factors applied.		
	•	Any assumptions or allowances made for deleterious elements.		
	•	The existence of any bulk sample or pilot scale test work and the degree to which such samples are considered representative of the orebody as a whole.		
	•	For minerals that are defined by a specification, has the ore reserve estimation been based on the appropriate mineralogy to meet the specifications?		
Environmental	•	The status of studies of potential environmental impacts of the mining and processing operation. Details of waste rock characterisation and the consideration of potential sites, status of design options considered and, where applicable, the status of approvals for process residue storage and waste dumps should be reported.	•	No reserve has been stated for the Northern Territory Project.
Infrastructure	•	The existence of appropriate infrastructure: availability of land for plant development, power, water, transportation (particularly for bulk commodities), labour, accommodation; or the ease with which the infrastructure can be provided, or accessed.	•	No reserve has been stated for the Northern Territory Project.
Costs	•	The derivation of, or assumptions made, regarding projected capital costs in the study.	•	No reserve has been stated for the Northern Territory Project.
	•	The methodology used to estimate operating costs.		
	•	Allowances made for the content of deleterious elements.		
	•	The source of exchange rates used in the study.		
	•	Derivation of transportation charges.		
	•	The basis for forecasting or source of treatment and refining charges, penalties for failure to meet specification, etc.		
	•	The allowances made for royalties payable, both Government and private.		

Criteria	JORC Code explanation	Commentary
Revenue factors	The derivation of, or assumptions made regarding revenue factors including head grametal or commodity price(s) exchange rates, transportation and treatment charged penalties, net smelter returns, etc.	
	The derivation of assumptions made of metal or commodity price(s), for the principal metal minerals and co-products.	ols,
Market assessment	The demand, supply and stock situation for the particular commodity, consumpt trends and factors likely to affect supply and demand into the future.	on No reserve has been stated for the Northern Territory Project.
	A customer and competitor analysis along with the identification of likely mar windows for the product.	xet
	Price and volume forecasts and the basis for these forecasts.	
	For industrial minerals the customer specification, testing and acceptance requireme prior to a supply contract.	nts
Economic	The inputs to the economic analysis to produce the net present value (NPV) in the study, source and confidence of these economic inputs including estimated inflation, discount rate etc.	
	NPV ranges and sensitivity to variations in the significant assumptions and inputs.	
Social	The status of agreements with key stakeholders and matters leading to social licence operate.	to • No reserve has been stated for the Northern Territory Project.
Other	To the extent relevant, the impact of the following on the project and/or on the estimation a classification of the Ore Reserves:	No reserve has been stated for the Northern Territory Project.
	Any identified material naturally occurring risks.	
	The status of material legal agreements and marketing arrangements.	
	The status of governmental agreements and approvals critical to the viability of the projes such as mineral tenement status, and government and statutory approvals. There must reasonable grounds to expect that all necessary Government approvals will be receive within the timeframes anticipated in the Pre-Feasibility or Feasibility study. Highlight a discuss the materiality of any unresolved matter that is dependent on a third party on whe extraction of the reserve is contingent.	be red and
Classification	The basis for the classification of the Ore Reserves into varying confidence categories.	No reserve has been stated for the Northern Territory Project.
	Whether the result appropriately reflects the Competent Person's view of the deposit.	
	The proportion of Probable Ore Reserves that have been derived from Measured Mine Resources (if any).	ral
Audits or reviews	The results of any audits or reviews of Ore Reserve estimates.	No reserve has been stated for the Northern Territory Project.

Criteria	JOI	RC Code explanation	Commentary
Discussion of relative accuracy / confidence	•	Where appropriate a statement of the relative accuracy and confidence level in the Ore Reserve estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the reserve within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors which could affect the relative accuracy and confidence of the estimate.	No reserve has been stated for the Northern Territory Project.
	•	The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used.	
	•	Accuracy and confidence discussions should extend to specific discussions of any applied Modifying Factors that may have a material impact on Ore Reserve viability, or for which there are remaining areas of uncertainty at the current study stage.	
	•	It is recognised that this may not be possible or appropriate in all circumstances. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available.	

JORC Compliance Statements

The information in this report that relates to Exploration Targets, Exploration Results and Mineral Resources is based on information compiled Mr Jake Russell B.Sc. (Hons) MAIG. Mr Russell has sufficient experience which is relevant to the styles of mineralisation and types of deposit under consideration and to the activities which they are undertaking to qualify as a Competent Person as defined in the 2012 Editions of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC 2012)". Mr Russell consents to the inclusion in this report of the matters based on his information in the form and context in which it appears. Mr Russell is a full time senior executive of the Company and is eligible to, and may participate in short-term and long-term incentive plans of the Company as disclosed in its annual reports and disclosure documents.

The information in this report that relates to Ore Reserves is based on information compiled by Mr Anthony Buckingham B.Eng (Mining Engineering) MAusIMM. Mr Buckingham has sufficient experience which is relevant to the styles of mineralisation and types of deposit under consideration and to the activities which they are undertaking to qualify as a Competent Person as defined in the 2012 Editions of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC 2012)". Mr Buckingham consents to the inclusion in this report of the matters based on his information in the form and context in which it appears. Mr Buckingham is a full time senior executive of the Company and is eligible to, and may participate in short-term and long-term incentive plans of the Company as disclosed in its annual reports and disclosure documents.